Banquet & Conference Folding Tables

Foldaing and Rolling of tables. Solid Plywood Tops, Superior Folding Mechanisms, and durability work hand in hand for a product that lasts. Hence why since the beginning our tables have been the benchmark of "Banquet Folding Tables" in Malaysia









Table Tops

Tops are made from 18mm Solid Plywood for heavy duty daily usage. Edges are fitted with Vinyl T Edgigs for safety and rolling purposes on carpeted surfaces. Vinyl Tapauline Tops offer grip of table cloths. All Table Tops come with Rounded Edges for child and adult safety





Arm Handles + Underlay

Arm Handles come standard with All tables for carrying purpose.

Black Non Woven Underlay keeps operators safe from traditional wood exposed from splinters as safety







Folding Mechanism

Built to withstand table weights and from collapsing. Spring Lock Mechanism is durable and built specifically for everyday usage, wear and tear. Round Tube serves as foot peg for easy folding of table legs. Hinge Lock keeps Table Legs secure when folded in designated lock holder



Tubes + Studs

Table Legs are 32mm Square with radius given for bluntness. Thickness of 1.2mm is used as industry specifies. Studs are adjustable for uneven surfaces





ROUND FOLDING TABLES

RDT CODE

RDT 72

Specifications

Dimensions (mm)

Folded Dimension (mm)

1830

Model No	Size (mm)		Folded Height (mm)	Weight
RDT 60	1530	Round	114.5	36.4 Kilograms
RDT 66	1680	Round	114.5	40 Kilograms

Round

114.5

114.5

43.6 Kilograms

18mm Solid Plywood Tops Spring Loaded Folding Mechanism Vinyl Tapauline Surface in White or Black Adjustable Leg Studs 32mm Square Hollow Steel Tubing Arm Handle For Carrying Tables 1.2mm Steel Tubing Thickness Rounded Table Edgings Black Textured Oven Baked Epoxy as Standard Vinyl T Moulded Edgings

Foldable for storage and movement Mobile for placement in any locality Easy assembly with minimal crew for operation Foldable Legs for stacking of tables 10 high Arm Handle allows operators to carry tables easily

Adjustable Leg Studs for Uneven Floors

Vinyl Tapauline Surface for table cloth grip Rounded Table Top edges for Safety

Options

Features

White or Black Vinyl Tapauline Colour selection Other Sizes available upon request

Oven Baked Epoxy Colour

RECTANGULAR FOLDING TABLES

Dimensions (mm)

RT CODE

Model No	Size (mm)	Folded Height (mm)	Weight
RT 1860	455W X 1530L	114.5	15.8 Kilograms
RT 1872	455W X 1830L	114.5	19.2 Kilograms
RT 2472	610W X 1830L	114.5	25.4 Kilograms
RT 3072	760W X 1830L	114.5	31.8 Kilograms

Specifications

18mm Solid Plywood Tops
Vinyl Tapauline Surface in White or Black
32mm Square Hollow Steel Tubing
1.2mm Steel Tubing Thickness
Black Textured Oven Baked Epoxy as Standard

Spring Loaded Folding Mechanism
Adjustable Leg Studs
Arm Handle For Carrying Tables
Rounded Table Edgings
Vinyl T Moulded Edgings

Folded Dimension (mm)

114.5

Features

Foldable for storage and movement

Mobile for placement in any locality

Easy assembly with minimal crew for operation

Foldable Legs for stacking of tables 10 high

Arm Handle allows operators to carry tables easily

Adjustable Leg Studs for Uneven Floors

Vinyl Tapauline Surface for table cloth grip

Rounded Table Top edges for Safety

Options

White or Black Vinyl Tapauline Colour selection Other Sizes available upon request Oven Baked Epoxy Colour

CRESCENT & HALF ROUND FOLDING TABLES

Dimensions (mm)

Folded Dimension (mm)





HRDT CODE 114.5

Model No	Size (mm)	Folded Height (mm)	Weight
CRT 2484	610W X 2138L	114.5	29.8 Kilograms
CRT 3084	760W X 2138L	114.5	37 Kilograms
HRDT 3060	760W X 1530L	114.5	26.6 Kilograms
HRDT 3672	916W X 1830L	114.5	38.2 Kilograms

Specifications

18mm Solid Plywood Tops
Vinyl Tapauline Surface in White or Black
32mm Square Hollow Steel Tubing
1.2mm Steel Tubing Thickness
Black Textured Oven Baked Epoxy as Standard

Spring Loaded Folding Mechanism
Adjustable Leg Studs
Arm Handle For Carrying Tables
Rounded Table Edgings
Vinyl T Moulded Edgings

Features

Mobile for placement in any locality Easy assembly with minimal crew for operation Foldable Legs for stacking of tables 10 high Arm Handle allows operators to carry tables easily Adjustable Leg Studs for Uneven Floors	Foldable for storage and movement
Foldable Legs for stacking of tables 10 high Arm Handle allows operators to carry tables easily	Mobile for placement in any locality
Arm Handle allows operators to carry tables easily	Easy assembly with minimal crew for operation
, , , ,	Foldable Legs for stacking of tables 10 high
Adjustable Leg Studs for Uneven Floors	Arm Handle allows operators to carry tables easily
	Adjustable Leg Studs for Uneven Floors

Vinyl Tapauline Surface for table cloth grip Rounded Table Top edges for Safety

Options

White or Black Vinyl Tapauline Colour selection Other Sizes available upon request Oven Baked Epoxy Colour

SQUARE & QUARTER ROUND FOLDING TABLES

Dimensions (mm)



114.5

Folded Dimension (mm)

SQT CODE

QRT CODE

ded Height (mm)

Model No	Size (mm)	Folded Height (mm)	Weight
SQT 30	760W X 760L	114.5	13.2 Kilograms
SQT 36	916W X 916L	114.5	19 Kilograms
QRT 30	760W X 760L	114.5	12.5 Kilograms
QRT 36	916W X 916L	114.5	18.2 Kilograms

Specifications

18mm Solid Plywood Tops
Vinyl Tapauline Surface in White or Black
32mm Square Hollow Steel Tubing
1.2mm Steel Tubing Thickness
Black Textured Oven Baked Epoxy as Standard

Spring Loaded Folding Mechanism
Adjustable Leg Studs
Arm Handle For Carrying Tables
Rounded Table Edgings
Vinyl T Moulded Edgings

Features

Foldable for storage and movement

Mobile for placement in any locality

Easy assembly with minimal crew for operation

Foldable Legs for stacking of tables 10 high

Arm Handle allows operators to carry tables easily

Adjustable Leg Studs for Uneven Floors

Vinyl Tapauline Surface for table cloth grip

Rounded Table Top edges for Safety


Options

White or Black Vinyl Tapauline Colour selection Other Sizes available upon request

Oven Baked Epoxy Colour

ROUND TABLE TROLLEY

Dimensions (mm)



915W x 2005L x 1170H

Specifications

Made from Heavy Duty Construction Grade Tubing
Finished in Oven Baked Epoxy in Black Textured Finish
18mm Solid Plywood Platform
Carpeted Surface

Reinforced Chasis for heavy load capacity

200mm Round Heavy Duty Wheels 2 Wheels Swivel, 2 fixed Heavy Duty Rubber Edgings for Frames

Features

Load Capacity of 10 units of Round Tables

Arm Handle for movement of trolley comfortably

Wheels are Heavy Duty for heavy weight

Carpeted Surface prevents further damage of tables

Rubber Edgings on Frames prevents hard surface contact of walls

Gate Lock feature for Round Tables from moving forward under heavy braking

Options

Carpet Colour in either Standard Grey, Carbon or Red

RECTANGULAR TABLE TROLLEY

Dimensions (mm)



915W x 2005L x 1170H

Specifications

Made from Heavy Duty Construction Grade Tubing
Finished in Oven Baked Epoxy in Black Textured Finish
18mm Solid Plywood Platform
Carpeted Surface

Reinforced Chasis for heavy load capacity

200mm Round Heavy Duty Wheels 2 Wheels Swivel, 2 fixed

Features

Load Capacity of 10 units of Round Tables

Arm Handle for movement of trolley comfortably

Wheels are Heavy Duty for heavy weight

Carpeted Surface prevents further damage of tables

Rubber Edgings on Frames prevents hard surface contact of walls

Options

Carpet Colour in either Standard Grey, Carbon or Red

