

DCM 63

To its BCA 126 counterpart, Steel Frames replace Aluminium that is suitable for inland locations that are nowhere near saltwater





Being Oval

An oval Backrest has advantages of chair covers being protected longer with no sharp edges. Suitable anywhere for all venues



STEEL BANQUET CHAIR DCM 63

Dimensions (mm)



455W X 610L X 916H

Seat Depth 455H

Weight

6.5 Kilograms

Specifications

- | | |
|-------------------------------------|----------------------------|
| 19mm Square Steel Tubing | Upholstered Backrest Cover |
| 1.2mm wall thickness | Nylon Bumper and Leg Studs |
| Oven Baked Epoxy Frame Finish | Polyurethane Moulded Seats |
| Upholstered Backrest | |
| Upholstered Seat with Indent Design | |

Features

- | | |
|--|--|
| Steel Frames are economical | Variety of Oven Baked Epoxy Finish for Frames |
| 1.2mm wall thickness as Industry Standard | Indent Moulded Seat Design for comfort |
| Robotically Welded Frame | Polyurethane Moulded Seats for long lasting durability |
| CNC Bent for accuracy and consistency | No exposed Screws and Slots |
| Variety of Backrest Design | Stacking Bars for Frame Strength |
| Stackable 10 high for storage and movement | Arm Handle for Carrying purpose |

Options

Frame Colour, Upholstery of Choice, Backrest Design

